



PMAC | PRINCE MAHIDOL
AWARD CONFERENCE **2018**



PARALLEL SESSION 3.3

**CLIMATE CHANGE AND EMERGING DISEASES: THE IMPORTANCE OF RESILIENT
SOCIETIES**



| BACKGROUND

During the long processes of human cultural evolution, population dispersal, and subsequent inter-population contact and conflict, several distinct transitions in human ecology and inter-population interactions have changed profoundly the patterns of infectious disease in human populations. As we move further into the 21st century, the spread and increased lability of infectious diseases, new and old, reflects the impacts of demographic, environmental, technological and other rapid changes in human ecology. Climate change, one of the global environmental changes under way, is anticipated to have a wide range of increased impacts upon the occurrence of infectious diseases affecting human, animal, and plant populations.

Climate and weather patterns affect the distribution and risk of many infectious diseases, including vector-borne diseases such as malaria, Rift Valley fever, plague, encephalitis and dengue fever. Weather patterns also affect the distribution of food- and water-borne diseases and emerging infectious diseases such as West Nile virus, Hantavirus, and Ebola hemorrhagic fever and the sporulation of diseases such as anthrax and other clostridia.

The effect of climate variability on infectious diseases is determined largely by the unique transmission cycle of each pathogen. Transmission cycles that require a vector or non-human host are more susceptible to external environmental influences than those diseases which include only the pathogen and human. Important environmental factors include temperature, altitude, precipitation and humidity. Several possible transmission components include pathogen nature (viral, bacterial, etc.), vector (mosquito, snail, etc.), abiotic physical vehicle (water, soil, etc.), non-human reservoir (mice, deer, etc.), and human host.

Humans are more than passive recipients of climate change-induced health effects. We can play a significant and active role through proactive adaptation and mitigation measures in order to control and alleviate the negative health impacts of climate change. The magnitude of changes in climate variables varies across the globe, posing more challenges and stresses for some groups, societies and populations than others. Given the same magnitude of climate change, some population groups and areas are more vulnerable to the elevated risks due to their lack of the ability and resources to effectively respond to the stresses and challenges, including nutrition, immune status, and access to goods, services, and clean water. Inadequate public policies may be perpetuating the marginalization that increases vulnerability to adverse events or change processes. Given that infectious diseases do not confine themselves within a vulnerable population group, these diseases pose a shared global risk and require a coordinated global effort to reduce their vulnerability to climate change-induced health risks. Importantly, human vulnerability to the changing risks for infectious diseases driven by climate change may be altered through proper adaptation measures. Examples include the continuous evolution of public health programmes, the cyclical re-allocation of financial and health care resources and the pre-emptive alteration of policies following scientific projection of spatial-temporal changes in health risk for human infectious diseases. Early warning systems based on such projections have been proven effective in helping societies take proactive measures to prevent or alleviate the possible health impacts.

| OBJECTIVES

- Explore projected trends in climate change over the 21st century, and their expected impact on infectious disease emergence/re-emergence and AMR
- Highlight practical, evidence-driven policy and approaches to defining and mitigating human-driven emerging disease risk



PRINCE MAHIDOL
AWARD CONFERENCE

2018



Panelist

Sander Koenraadt

Assistant Professor Biology and Control of Disease Vectors

Laboratory of Entomology, Wageningen University
Netherlands

Sander Koenraadt, PhD is Assistant Professor at the Laboratory of Entomology of Wageningen University, The Netherlands. He is trained as a biologist and has a special interest in the ecology and control of vector-borne diseases. He works on a diverse range of topics (malaria, Zika, tick-borne encephalitis, and bluetongue), but his main aims are to understand disease transmission risk by blood-feeding arthropods, including its mechanisms, as well as to develop alternative, non-insecticide based tools for disease control. To this end, he actively promotes a One Health Entomology approach, which also encompasses research projects with the social sciences. Within his research program, societal themes include emerging infectious diseases, climate change, and the role of biodiversity. He collaborates with numerous national and international partners, both at governmental (e.g. National Malaria Control Program) and non-governmental level (e.g. Médecins Sans Frontiers). He is also involved in several Citizen Science programs to actively involve the general public in his scientific activities.