



PARALLEL SESSION 3.3

CLIMATE CHANGE AND EMERGING DISEASES: THE IMPORTANCE OF RESILIENT SOCIETIES





| BACKGROUND

During the long processes of human cultural evolution, population dispersal, and subsequent inter-population contact and conflict, several distinct transitions in human ecology and inter-population interactions have changed profoundly the patterns of infectious disease in human populations. As we move further into the 21st century, the spread and increased lability of infectious diseases, new and old, reflects the impacts of demographic, environmental, technological and other rapid changes in human ecology. Climate change, one of the global environmental changes under way, is anticipated to have a wide range of increased impacts upon the occurrence of infectious diseases affecting human, animal, and plant populations.

Climate and weather patterns affect the distribution and risk of many infectious diseases, including vector-borne diseases such as malaria, Rift Valley fever, plague, encephalitis and dengue fever. Weather patterns also affect the distribution of food- and water-borne diseases and emerging infectious diseases such as West Nile virus, Hantavirus, and Ebola hemorrhagic fever and the sporulation of diseases such as anthrax and other clostridia.

The effect of climate variability on infectious diseases is determined largely by the unique transmission cycle of each pathogen. Transmission cycles that require a vector or non-human host are more susceptible to external environmental influences than those diseases which include only the pathogen and human. Important environmental factors include temperature, altitude, precipitation and humidity. Several possible transmission components include pathogen nature (viral, bacterial, etc.), vector (mosquito, snail, etc.), abiotic physical vehicle (water, soil, etc.), non-human reservoir (mice, deer, etc.), and human host.

Humans are more than passive recipients of climate change-induced health effects. We can play a significant and active role through proactive adaptation and mitigation measures in order to control and alleviate the negative health impacts of climate change. The magnitude of changes in climate variables varies across the globe, posing more challenges and stresses for some groups, societies and populations than others. Given the same magnitude of climate change, some population groups and areas are more vulnerable to the elevated risks due to their lack of the ability and resources to effectively respond to the stresses and challenges, including nutrition, immune status, and access to goods, services, and clean water. Inadequate public policies may be perpetuating the marginalization that increases vulnerability to adverse events or change processes. Given that infectious diseases do not confine themselves within a vulnerable population group, these diseases pose a shared global risk and require a coordinated global effort to reduce their vulnerability to climate change-induced health risks. Importantly, human vulnerability to the changing risks for infectious diseases driven by climate change may be altered through proper adaptation measures. Examples include the continuous evolution of public health programmes, the cyclical re-allocation of financial and health care resources and the pre-emptive alteration of policies following scientific projection of spatial-temporal changes in health risk for human infectious diseases. Early warning systems based on such projections have been proven effective in helping societies take proactive measures to prevent or alleviate the possible health impacts.

| OBJECTIVES

- Explore projected trends in climate change over the 21st century, and their expected impact on infectious disease emergence/re-emergence and AMR
- Highlight practical, evidence-driven policy and approaches to defining and mitigating human-driven emerging disease risk











Panelist

Kristie Ebi

Professor

Department of Global Health, University of Washington United States of America

Kristie L. Ebi, Ph.D., MPH is Director of the Center for Health and the Global Environment, University of Washington. Her research and practice focuses on the potential adverse health consequences of and health system responses to manage the risks of climate and other global environmental changes. She works at local to national scales in Africa, Asia, Europe, the Pacific, and US on assessing sources of vulnerability; understanding current impacts and projecting future risks; and identifying and implementing adaptation and mitigation policies and measures to promote and protect population health, within the context of multi-stressor environments. She has been an author on multiple national and international assessments, and co-chairs the International Committee On New Integrated Climate change Scenarios. She has a M.P.H. and Ph.D. in epidemiological science, and has authored approximately 200 papers and book chapters.



